

IgG ELISA 96 Food Panel



Sample Patient
D.O.B.: 01/01/2000

REQUISITION: 1610213
COLLECTION DATE: 12/05/2016
RUN DATE: 12/27/2016

Sample Doctor, M.D.
Boston, MA 02018

TEST	SCORE	CLASS
MEAT & POULTRY		
Beef	0.151	0
Chicken	0.148	0
Lamb	0.139	0
Pork	0.154	0
Turkey	0.160	0

FISH & SHELLFISH		
Clam	0.232	1 *
Codfish	0.238	1 *
Crab	0.155	0
Haddock	0.251	1 *
Lobster	0.144	0
Salmon	0.135	0
Scallop	0.151	0
Shrimp	0.147	0
Sole	0.141	0
Swordfish	0.169	0
Tuna	0.155	0

DAIRY & EGG		
Cheddar Cheese	0.184	0
Cottage Cheese	0.162	0
Egg, White	0.158	0
Egg, Yolk	0.190	0
Milk, Cow's	0.241	1 *
Mozzarella Cheese	0.192	0
Yogurt	0.194	0

BEVERAGES & MISC		
Black Tea	0.222	1 *
Cocoa	0.189	0
Coffee	0.199	0
Honey	0.272	1 *
Yeast, Baker's	0.161	0
Yeast, Brewer's	0.304	2 **

VEGETABLES		
Asparagus	0.168	0
Bell Pepper	0.170	0
Broccoli	0.157	0
Cabbage	0.150	0
Carrot	0.152	0
Cauliflower	0.148	0
Celery	0.144	0
Cucumber	0.184	0
Eggplant	0.261	1 *
Garlic	0.224	1 *
Green Bean	0.220	1 *
Kale	0.156	0
Kelp	0.146	0
Lettuce	0.227	1 *
Mushroom	0.169	0
Olive, Green	0.161	0
Onion	0.180	0
Potato	0.165	0
Potato, Sweet	0.185	0
Spinach	0.170	0
Squash	0.188	0
Tomato	0.259	1 *

LEGUMES & PULSES		
Green Pea	0.141	0
Lima Bean	0.221	1 *
Peanut	0.140	0
Soybean	0.260	1 *

NUTS, SEEDS & OILS		
Almond	0.141	0
Cashew	0.249	1 *
Chia Seed	0.151	0
Cola	0.190	0
Safflower	0.226	1 *
Sesame	0.183	0
Sunflower Seed	0.277	1 *
Walnut	0.184	0

FRUITS		
Apple	0.217	1 *
Avocado	0.131	0
Banana	0.189	0
Blueberry	0.153	0
Cantaloupe	0.169	0
Coconut	0.174	0
Grape	0.191	0
Grapefruit	0.195	0
Lemon	0.198	0
Orange	0.183	0
Peach	0.158	0
Pear	0.284	1 *
Pineapple	0.178	0
Strawberry	0.159	0
Watermelon	0.272	1 *

GRAINS & STARCHES		
Barley	0.189	0
Bran	0.163	0
Corn	0.188	0
Gluten	0.333	2 **
Malt	0.186	0
Oats	0.158	0
Rice	0.270	1 *
Rye	0.160	0
Wheat	0.305	2 **

HERBS, SPICES, FLAVORINGS		
Basil	0.174	0
Bay Leaf	0.149	0
Black Pepper	0.172	0
Cinnamon	0.170	0
Dill	0.184	0
Ginger	0.191	0
Mustard	0.164	0
Oregano	0.187	0
Tarragon	0.134	0

Reference Range G46 - 10318

<= 0.199 = 0 0.200 - 0.299 = 1 0.300 - 0.399 = 2 >= 0.400 = 3

Note: 0.185 - 0.215 should be considered equivocal

ALLETESS MEDICAL LABORATORY

14 Howard Street, Rockland, MA 02370

800.225.5404 | +1.781.871.4426 | foodallergy.com

LABORATORY DIRECTOR: Sample Sample, Ph.D. | C.L.I.A. # 22D0080258

THIS TEST WAS DEVELOPED AND ITS PERFORMANCE CHARACTERISTICS DETERMINED BY ALLETESS, INC. IT HAS NOT BEEN CLEARED OR APPROVED BY THE FDA. FDA CLEARANCE IS NOT NECESSARY FOR CLINICAL USE OF THIS TEST. THE TEST RESULTS SHOULD BE CORRELATED WITH CLINICAL FINDINGS.